



Test E Tren E Eq. The Dark Web Websites #oVYD56



VISIT OUR ONLINE STORE: <https://bitly.com/2TXDRIA>



So test e 500mg/Tren e 600mg/EQ 600 mg a week would be fine? That's running quite a bit of gear each week. That's running quite a bit of gear each week. More than I would originally like. Mast E, Test E, Tren E, EQ Cycle . ad. STATS, DESCRIPTION, GOALS. Cycle tweaks Looking to use Mast E as AI TRT lifer now at 100 mg/wk. So no PCT needed Thoughts, tweaks, or ideas for this cycle welcome and appreciated. This will be my third cycle. Two prior cycles with tren ace and no problems or sides.



About to start a cycle of test e 250ew eq 600 ew and tren e 600 ew have adex and caber on hand age 28
9th cycle weight 98kg 10% 09-08-2016, 01:46 PM #2 Vallieflag


The Conservative Approach

- **Medications**

- NSAIDs
- Acetaminophen
- Oral corticosteroids
- Muscle relaxants
- Narcotics
- Neurontin / Lyrica



Test E should outlast EQ in a cycle by about 2 weeks. I've run the compounds you've outlined, different durations and dosages but have a familiarity with them all. Test E @ 400 mg week --24 weeks. Tren E @ 800 mg week--12/14 weeks. EQ @ 800 mg week-- 20 weeks. I'm a fan of longer cycles personally and haven't had HPTA recovery issues yet. [view site...](#)



wk 1-12 test e 750 mg/wk wk 1-? tren a 75 mg/ed wk 1-? eq 500 mg/wk wk 1-12 nolva 20 mg/ed i was planning to use nolva for pct as well but again let me know if adex or letro would be better for an AI on cycle. EDIT- when i say i just got done with a cut i dont mean one involving AAS. I've previously done in older cycles Test E & Boldenone and Test E & Tren E with satisfying results. I've had over 9 cycles under my belt, so this isn't my first cycle. So this is more just so a idea, not something I'm going to do anytime soon. I would personally cycle for 18 weeks. Week 1-18 - Test E @ 1000mg/week Week 1-18 - EQ @ 750mg/week



Test E - 300 mg: weeks 1-16
EQ - 800 mg: weeks 1-16 Tren E - 400 mg weeks 1-12 Mk and gw will be ran in my PCT along with clomid and nolva because this is exactly how I ran it the previous cycle and noticed that the transition was much smoother than the cycle before last that was clomid and nolva only. Thank you for your feedback gentleman. Week 1-12: 250mg Test E 2x a week. Week 3-10: 150mg Tren E 2x a weea 7 weeks are too few for a compound with the enanthate ester. You should be running it for as long as the testosterone. Week 5-10: 250iu HCG 2x a week (with Test/Tren pi Don't use HCG, neither on cycle, nor off-cycle.



Also, tren can be nasty on the hair, which is a concern for you. If you are willing to drop the tren, then lets move onto adjusting your cycle. If you drop the tren, you can up your test to 400-500 mg and EQ to 600. EQ usually doesn't show results unless used for 18-20 weeks, so you may want to extend to that time. [straight from the source](#)